

Safety Data Sheet

Brick and Stone Cover

Revision:

10 October 2024 Supersedes version: n/a

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Brick and Stone Cover UFI: U500-X0YQ-P008-YWF1

1.2. Relevant identified uses of the substance or mixture and uses advised against recommended use

Deep penetrating water repellent treatment for stones, bricks and all absorbent construction materials.

1.3. Detail of the supplier of the safety data sheet

Ecobeton-USA 4894 Sparks Blvd Sparks, NV 89436 United States Phone: 800-723-2198

Email: info@ecobeton-usa.com

National Distributor Ecobeton-USA

Information about the Safety Data Sheet:

info@ecobeton-usa.com

1.4. Emergency telephone number

United States 800-723-2198

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

Skin Irrit. 2	H315
Eye Irrit. 2	H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. Label elements

Hazard Pictograms

Signal Word

Warning



Hazard Statements:

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary Statements:

P280 - Wear protective gloves and eye protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P337 + P313 - If eye irritation persists: Get medical advice/ attention.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.



2.3. Other Hazards

PBT: none vPvB: none Other Hazards: none

SECTION 3: Composition/information on ingredients

Chemical identity:

Silicone resin solution

3.2. Mixtures

CAS / EC-No.	REACH Registration no.	Component	Concentration	Classification: REGULATION (EC) No 1272/2008
CAS no: 31795-24-1 EC no: 250-807-9		Potassium methylsilanetriolate	2.0 % - 3.0 %	Skin Corr. 1A - H314 Eye Dam. 1 - H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).

Inhalation: Move person to fresh air. If effects occur, consult a physician.

Skin contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Seek medical attention if symptoms occur or irritation persists. Wash clothing before reuse.

Eye contact: Wash eyes immediately and continuously with water for 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Seek medical attention immediately, preferably from an ophthalmologist.

Ingestion: Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do NOT induce vomiting. Do not give anything by mouth unless the person is fully conscious.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

If burn is present, treat as any thermal burn, after decontamination. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: All extinguishing agents can be used.

Unsuitable extinguishing media: None known.

5.2. Special hazards arising from the substance or mixture

Produces Silicon oxides. Exposure to combustion products may be a hazard to health. Produces Carbon oxides.

5.3. Advice for firefighters

Product does not burn. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. This must not be discharged into drains. Remove undamaged containers from fire area if it is safe to do so.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations. **For emergency responders:** Use personal protective equipment. Stop the leak if the operation is safe. Follow safe handling advice and personal protective equipment recommendations.



6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Discharge into the environment must be avoided. Prevent the product from entering sewers, surface water, groundwater.

6.3. Methods and materials for containment and cleaning up

Suck up the leaked product into a suitable container. Clean up remaining materials from spill with suitable absorbant.

6.4. Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not get on skin or clothing. Keep container tightly closed. Avoid contact with eyes. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Do not swallow.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed. Keep in properly labelled containers. Protect against frost.

Do not store with the following product types: Strong oxidizing agents. Organic peroxides. Explosives.

Unsuitable materials for containers: Aluminium.

7.3. Specific end use(s)

See the technical data sheet on this product for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

TLV Occupational exposure limit of the entire mixture: Not available

TLV Occupational exposure limit of the ingredients:

DNEL Exposure limit values for the whole mixture: Not available

DNEL Exposure limit values of the ingredients:

Potassium methylsilanetriolate

Data for WORKERS

INHALATION Exposure	Threshold
Systemic Effects	
Long-term:	(DNEL) 11.3 mg/m ³
Acute / short term:	No hazard identified
Local Effects	
Long-term:	High hazard (no threshold derived)
Acute / short term:	High hazard (no threshold derived)

DERMAL Exposure	Threshold
Systemic Effects	
Long-term:	(DNEL) 1.6 mg/kg bw/day
Acute / short term:	No hazard identified
Local Effects	
Long-term:	High hazard (no threshold derived)
Acute / short term:	High hazard (no threshold derived)

EYE Exposure	
High hazard (no threshold derived)	

Data for GENERAL POPULATION

INHALATION Exposure	Threshold
Systemic Effects	
Long-term:	(DNEL) 2 mg/m ³
Acute / short term:	No hazard identified
Local Effects	
Long-term:	High hazard (no threshold derived)
Acute / short term:	High hazard (no threshold derived)

DERMAL Exposure	Threshold
Systemic Effects	
Long-term:	(DNEL) 600 μg/kg bw/day
Acute / short term:	No hazard identified
Local Effects	
Long-term:	High hazard (no threshold derived)
Acute / short term:	High hazard (no threshold derived)

Threshold
ts
No hazard identified
(DNEL) 80 μg/kg bw/day

EYE Exposure	
High hazard (no threshold derived)	



PNEC Exposure limit values for the entire mixture: Not available

PNEC Exposure limit values of the ingredients:

Potassium methylsilanetriolate

Hazard for Aquatic Organism	
Freshwater	No hazard identified
Intermittent releases (freshwater)	No hazard identified
Marine water	No hazard identified
Intermittent releases (marine water)	No hazard identified
Sewage treatment plant (STP)	7.1 mg/L
Sediment (freshwater)	4.8 mg/kg sediment dw
Sediment (marine water)	480 μg/kg sediment dw

Hazard for Air	
Air No hazar	rd identified
Hazard for Terrestric Organism	al
Soil 190 μg/kg s	oil dw
Hazard for Predators	s
Secondary poisoning	No potential for bioaccumulation

8.2. Exposure controls

Appropriate engineering controls: No special measures required.

Individual protection measures

Eye/Face protection: It is recommended to wear airtight protective goggles.

Skin Protection: Hand Protection: Use chemical resistant gloves classified under Standard EN374: Protective gloves against dangerous chemicals and micro-

organisms. Other: Wear professional long-sleeved work clothes and safety footwear (category S2 or superior).

Respiratory protection: Wear a protective mask during spray application.

Thermal hazards: Not Available.

Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Color	transparent
Odor	odorless
Melting point/freezing point	~ 0°C
Boiling point or initial boiling point and boiling range	~ 100°C
Flammability	n.a. (non-flammable liquid)
Lower and upper explosion limit	n.a. (non-flammable liquid)
Flash point	closed cup >100 °C
Auto-ignition temperature	n.a. (non-flammable liquid)
Decomposition temperature	n.d.
рН	~ 11
Kinematic viscosity	$0.01 \times 10^{-3} \text{ mm}^2/\text{s}$
Solubility	fully soluble
Partition coefficient n-octanol/water (log value)	n.a. (mixture)
Vapor pressure	n.d.
Density and/or relative density	1.05 g/ml
Relative vapor density	n.d.
Particle characteristics	n.a. (liquid)



9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not classified as a reactivity hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Can react with strong oxidizing agents.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Acids. Oxidizing agents.

10.6. Hazardous decomposition products

Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity

Acute oral toxicity Based on available data, the classification criteria are not met.

Acute dermal toxicity Based on available data, the classification criteria are not met.

Acute inhalation toxicity Based on available data, the classification criteria are not met.

Toxicity details:

Route of exposure	Result/Effect	Species/Test system	Source
Ingestion	LD50: > 5000 mg/kg	Rat	Conclusion by analogy
Inhalation	n.d.	n.d.	n.d.
Skin/eye	LD50: > 5000 mg/kg	Rat	Conclusion by analogy

Skin corrosion/irritation

Due to the pH of the material, it is assumed that exposure may cause skin irritation.

Skin corrosion/irritation details:

Potassium methylsilanetriolate

Result/Effect	Species/Test system	Source
Adverse effect observed (corrosive)	-	ЕСНА

Serious eye damage/eye irritation

Due to the pH of the material, it is assumed that exposure may cause severe eye damage.

Serious eye damage/eye irritation details:

Potassium methylsilanetriolate

Result/Effect	Species/Test system	Source	



Result/Effect	Species/Test system	Source
Adverse effect observed (irritating)	-	ЕСНА

Respiratory or skin sensitization

Based on the available data a sensitization reaction is not expected from this product.

Respiratory or skin sensitization details:

Potassium methylsilanetriolate

Result/Effect	Species/Test system	Source
Adverse effect observed (irritating)	-	ЕСНА

Germ cell mutagenicity

Based on known data a significant mutagenic potential may be excluded.

Carcinogenicity

No relevant data found.

Reproductive toxicity

Based on information for component(s): For this family of materials: In animal studies, did not interfere with reproduction.

Reproductive details:

Potassium methylsilanetriolate

	Result/Effect	Species/Test system	Source
Effect on fertility	NOAEL 1 000 mg/kg bw/day	Rat	ECHA
Effect on developmental toxicity	NOAEL 1 000 mg/kg bw/day	Rat	ECHA

Specific Target Organ Systemic Toxicity (Single Exposure)

Material is corrosive. Material is not classified as a respiratory irritant; however, upper respiratory tract irritation or corrosivity may be expected.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Based on information for component(s): For this family of materials: In animals, effects have been reported on the following organs: Liver. Kidney. Thyroid.

STOT RE details:

Potassium methylsilanetriolate

Route of exposure	Result/Effect	Species/Test system	Source
Oral	NOAEL 50 mg/kg bw/day	Rat	ECHA
Inhalation	NOAEC 560 mg/m ³	Rat	ECHA
Skin/eye	-	-	-

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

11.2. Information on other hazards

None available.



SECTION 12: Ecological information

12.1. Toxicity

No expected damaging effects to aquatic organisms.

Product details:

Result/Effect	Species/Test system	Source
EC50: > 100 mg/l	bacteria	Conclusion by analogy OECD 209

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No adverse effects expected.

12.4. Mobility in soil

No adverse effects expected.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

According to present knowledge no adverse influence to environment expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 2008/98/EC. Do not dump into any sewers, on the ground, or into any body of water.

SECTION 14: Transport information

14.1. UN number or ID number	Not regulated for transport.
14.2. Proper shipping name	Not regulated for transport.
14.3. Transport hazard class(es)	Not regulated for transport.
14.4. Packing group	Not regulated for transport.
14.5. Environmental hazards	Not Hazardous to the environment.
14.6. Special precautions for user	Relevant information in other sections has to be considered.
14.7. Maritime transport in bulk according to IMO instruments	Bulk transport in tankers is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 $Other\ safety,\ health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ mixture:$

None available.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture.



SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

The information contained in this Safety Data Sheet is derived from the data provided by the suppliers of the components of the mixture, that we verified adequate and reliable by analogy with similar products and with the information provided by ECHA.

Full text of H-Statements referred to under sections 2 to 15.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Full text of P-Statements referred to under sections 2 to 15.

P280 Wear protective gloves and eye protection

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P332 + P313 If skin irritation occurs: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Legend

CAS No. Chemical Abstracts Service (CAS) Registry Number

CLP Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification.

labelling and packaging of substances and mixtures

ECHA European Chemicals Agency EC No. European Community number **EWC** European Waste Catalogue GHS Globally Harmonized System

IC50 Half maximal inhibitory concentration International Maritime Organization IMO

IUPAC International Union of Pure and Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Co-operation and Development

PRT Persistent, Bioaccumulative and Toxic substance

REACH Regulation (EC) No 1907/2006 of the European Parliamentand of the Council concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals

SDS Safety Data Sheet TWA Time Weighted Average UFI Unique Formula Identifier

United Nations UN

VOC Volatile Organic Compounds

vPvR Very Persistent and Very Bioaccumulative

Skin Irrit. 2 Skin corrosion/irritation

Eye Irrit. 2 Serious eye damage/eye irritation 4894 Sparks Blvd Sparks, NV 89436 United States T 800-723-2198
E info@ecobeton-usa.com
I www.ecobeton-usa.com



Bibliography

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of
 the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- European Chemical Agency (https://echa.europa.eu/)
- Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer
- Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants
- Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals
- Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC
- EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms
- DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC
- Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directive
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods
- Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products
- Commission Delegated Regulation (EU) 2023/707 of 19 December 2022 amending Regulation (EC) No 1272/2008 as regards hazard classes and criteria for the classification, labelling and packaging of substances and mixtures

Changes made to the previous version:

Section 1-3

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be construed as a guarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, it is the user's obligation to observe the laws and regulations in force regarding hygiene and safety under his own responsibility. No responsibility is assumed for improper use.

Provide adequate training to personnel assigned to the use of chemical products.

End of safety datasheet